



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

Region 6 Laboratory

Environmental Services Branch
10625 Fallstone Road, Houston, TX 77099
Phone: (281)983-2100 Fax: (281)983-2248

Final Analytical Report

Site Name -----Oil Trust Fund
Sample Collection Date(s)-- 08/13/10 - 08/15/10
Contact----- Rich Mayer (6PD-F)
Report Date-----08/20/10
Project #----- 10REG232
Work Order(s)-----1008027

Analyses included in this report:

LC DOSS

Report Narrative

DOSS was not found at or above the reporting limit for the samples in this work order

Standard procedures for quality assurance and quality control were followed in the analysis and reporting of the sample results. The results apply only to the samples tested. This final report should only be reproduced in full.

Reporting limits are adjusted for sample size and matrix interference.

Report Approvals:

Richard McMillin
Region 6 Laboratory Manager

David Neleigh
Region 6 Laboratory Branch Chief



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

Region 6 Environmental Services Branch Laboratory

10625 Fallstone Road
Houston, Texas 77099

Sample Receipt and Disposal

Site Name: Oil Trust Fund

Project Number: 10REG232

Data Management Coordinator: Christy Warren

Data Management Coordinator Signature

Date

Date Transmitted: ____/____/____

Please have the U.S. EPA Project Manager/Officer call the Data Management Coordinator at 3-2137 for any comments or questions.

Please sign and date this form below and return it with any comments to:

Christy Warren
Data Management Coordinator
Region 6 Laboratory
6MD-HS

Received by and Date

Comments:

The laboratory routinely disposes of samples 90 days after all analyses have been completed. If you have a need to hold these samples in custody longer than 90 days, please sign below.

Signature

Date

Please provide a reason for holding:



Environmental Protection Agency
Region 6 Laboratory

10625 Fallstone Road, Houston, TX 77099
Phone:(281)983-2100 Fax:(281)983-2248

ANALYTICAL REPORT FOR SAMPLES

Station ID	Laboratory ID	Sample Type	Date Collected	Date Received
T008-0023-100814-SW-1	1008027-01	Liquid	8/14/10 12:52	08/16/10 09:20
T008-0024-100814-SW-1	1008027-02	Liquid	8/14/10 12:20	08/16/10 09:20
T008-0025-100814-SW-1	1008027-03	Liquid	8/14/10 11:40	08/16/10 09:20
T008-0026-100814-SW-1	1008027-04	Liquid	8/14/10 11:00	08/16/10 09:20
T008-0027-100814-SW-1	1008027-05	Liquid	8/14/10 10:15	08/16/10 09:20
T008-0022-100815-SW-1	1008027-06	Liquid	8/15/10 9:10	08/16/10 09:20
T005-0036-100813-SW-1	1008027-07	Liquid	8/13/10 8:55	08/16/10 09:20
T005-0037-100813-SW-1	1008027-08	Liquid	8/13/10 9:55	08/16/10 09:20
T005-0039-100813-SW-1	1008027-09	Liquid	8/13/10 10:40	08/16/10 09:20
T005-0040-100813-SW-1	1008027-10	Liquid	8/13/10 11:20	08/16/10 09:20
T005-0034-100814-SW-1	1008027-11	Liquid	8/14/10 9:40	08/16/10 09:20
T005-0035-100814-SW-1	1008027-12	Liquid	8/14/10 8:30	08/16/10 09:20
T005-0031-100815-SW-1	1008027-13	Liquid	8/15/10 11:10	08/16/10 09:20
T005-0032-100815-SW-1	1008027-14	Liquid	8/15/10 10:05	08/16/10 09:20
T005-0032-100815-SW-2	1008027-15	Liquid	8/15/10 10:05	08/16/10 09:20
T005-0033-100815-SW-1	1008027-16	Liquid	8/15/10 9:10	08/16/10 09:20
T001-1337-100813-SW-00-1	1008027-17	Liquid	8/13/10 12:05	08/16/10 09:20
T001-1344-100815-SW-05-1	1008027-18	Liquid	8/15/10 12:20	08/16/10 09:20
T001-1353-100815-SW-00-1	1008027-19	Liquid	8/15/10 14:30	08/16/10 09:20
T001-2346-100814-SW-00-1	1008027-20	Liquid	8/14/10 13:20	08/16/10 09:20
T001-2346-100814-SW-00-2	1008027-21	Liquid	8/14/10 13:20	08/16/10 09:20
T001-2350-100813-SW-00-1	1008027-22	Liquid	8/13/10 9:45	08/16/10 09:20
T001-2350-100813-SW-00-2	1008027-23	Liquid	8/13/10 9:45	08/16/10 09:20
T001-2354-100813-SW-00-1	1008027-24	Liquid	8/13/10 11:05	08/16/10 09:20
T001-2354-100813-SW-00-2	1008027-25	Liquid	8/13/10 11:05	08/16/10 09:20
T001-2358-100815-SW-00-1	1008027-26	Liquid	8/15/10 13:30	08/16/10 09:20
T001-2359-100814-SW-00-1	1008027-27	Liquid	8/14/10 9:30	08/16/10 09:20
T001-2365-100815-SW-00-1	1008027-28	Liquid	8/15/10 10:00	08/16/10 09:20
T001-2471-100815-SW-00-1	1008027-29	Liquid	8/15/10 11:10	08/16/10 09:20



Environmental Protection Agency
Region 6 Laboratory

10625 Fallstone Road, Houston, TX 77099
Phone:(281)983-2100 Fax:(281)983-2248

DOSS by LC/MS/MS

Lab ID: 1008027-01

Station ID: T008-0023-100814-SW-1

Batch: B0H1604

Date Collected: 08/14/10

Sample Type: Liquid

Sample Volume: 24 ml

Sample Qualifiers:

Surrogates

Analyte	Result µg/l	Analyte Qualifiers	%Recovery	%Recovery Limits	Prepared	Analyzed
<i>Surr: DOSS-D34</i>	188		108	50-150	08/16/10	08/16/10

Targets

Analyte (CAS Number)	Result µg/l	Analyte Qualifiers	Reporting Limit	Dilution	Prepared	Analyzed
Diocetyl sulfosuccinate, sodium salt (577-11-7)	U		19.6	1	08/16/10	08/16/10

This LC/MS/MS method is a developmental method that was created specifically for the Gulf oil spill by the Region 6 lab in conjunction with other EPA laboratories. Therefore it has not been validated with the normal rigorous procedures and performance data that an EPA method would normally complete before being released. Improvements will continue to be made to this method as more is learned about the nuances of this technique with these analytes and various matrices. Proper sample collection or preservation procedures have not been established and holding times are unknown.



Environmental Protection Agency
Region 6 Laboratory

10625 Fallstone Road, Houston, TX 77099
Phone:(281)983-2100 Fax:(281)983-2248

DOSS by LC/MS/MS

Lab ID: 1008027-02

Station ID: T008-0024-100814-SW-1

Batch: B0H1604

Date Collected: 08/14/10

Sample Type: Liquid

Sample Volume: 24 ml

Sample Qualifiers:

Surrogates

Analyte	Result µg/l	Analyte Qualifiers	%Recovery	%Recovery Limits	Prepared	Analyzed
<i>Surr: DOSS-D34</i>	185		106	50-150	08/16/10	08/16/10

Targets

Analyte (CAS Number)	Result µg/l	Analyte Qualifiers	Reporting Limit	Dilution	Prepared	Analyzed
Diethyl sulfosuccinate, sodium salt (577-11-7)	U		19.6	1	08/16/10	08/16/10

This LC/MS/MS method is a developmental method that was created specifically for the Gulf oil spill by the Region 6 lab in conjunction with other EPA laboratories. Therefore it has not been validated with the normal rigorous procedures and performance data that an EPA method would normally complete before being released. Improvements will continue to be made to this method as more is learned about the nuances of this technique with these analytes and various matrices. Proper sample collection or preservation procedures have not been established and holding times are unknown.



Environmental Protection Agency
Region 6 Laboratory

10625 Fallstone Road, Houston, TX 77099
Phone:(281)983-2100 Fax:(281)983-2248

DOSS by LC/MS/MS

Lab ID: 1008027-03

Station ID: T008-0025-100814-SW-1

Batch: B0H1604

Date Collected: 08/14/10

Sample Type: Liquid

Sample Volume: 23 ml

Sample Qualifiers:

Surrogates

Analyte	Result µg/l	Analyte Qualifiers	%Recovery	%Recovery Limits	Prepared	Analyzed
<i>Surr: DOSS-D34</i>	183		100	50-150	08/16/10	08/16/10

Targets

Analyte (CAS Number)	Result µg/l	Analyte Qualifiers	Reporting Limit	Dilution	Prepared	Analyzed
Diethyl sulfosuccinate, sodium salt (577-11-7)	U		20.0	1	08/16/10	08/16/10

This LC/MS/MS method is a developmental method that was created specifically for the Gulf oil spill by the Region 6 lab in conjunction with other EPA laboratories. Therefore it has not been validated with the normal rigorous procedures and performance data that an EPA method would normally complete before being released. Improvements will continue to be made to this method as more is learned about the nuances of this technique with these analytes and various matrices. Proper sample collection or preservation procedures have not been established and holding times are unknown.



Environmental Protection Agency
Region 6 Laboratory

10625 Fallstone Road, Houston, TX 77099
Phone:(281)983-2100 Fax:(281)983-2248

DOSS by LC/MS/MS

Lab ID: 1008027-04

Station ID: T008-0026-100814-SW-1

Batch: B0H1604

Date Collected: 08/14/10

Sample Type: Liquid

Sample Volume: 24 ml

Sample Qualifiers:

Surrogates

Analyte	Result µg/l	Analyte Qualifiers	%Recovery	%Recovery Limits	Prepared	Analyzed
<i>Surr: DOSS-D34</i>	184		105	50-150	08/16/10	08/16/10

Targets

Analyte (CAS Number)	Result µg/l	Analyte Qualifiers	Reporting Limit	Dilution	Prepared	Analyzed
Diethyl sulfosuccinate, sodium salt (577-11-7)	U		19.6	1	08/16/10	08/16/10

This LC/MS/MS method is a developmental method that was created specifically for the Gulf oil spill by the Region 6 lab in conjunction with other EPA laboratories. Therefore it has not been validated with the normal rigorous procedures and performance data that an EPA method would normally complete before being released. Improvements will continue to be made to this method as more is learned about the nuances of this technique with these analytes and various matrices. Proper sample collection or preservation procedures have not been established and holding times are unknown.



Environmental Protection Agency
Region 6 Laboratory

10625 Fallstone Road, Houston, TX 77099
Phone:(281)983-2100 Fax:(281)983-2248

DOSS by LC/MS/MS

Lab ID: 1008027-05

Station ID: T008-0027-100814-SW-1

Batch: B0H1604

Date Collected: 08/14/10

Sample Type: Liquid

Sample Volume: 23 ml

Sample Qualifiers:

Surrogates

Analyte	Result µg/l	Analyte Qualifiers	%Recovery	%Recovery Limits	Prepared	Analyzed
<i>Surr: DOSS-D34</i>	203		111	50-150	08/16/10	08/16/10

Targets

Analyte (CAS Number)	Result µg/l	Analyte Qualifiers	Reporting Limit	Dilution	Prepared	Analyzed
Diethyl sulfosuccinate, sodium salt (577-11-7)	U		20.0	1	08/16/10	08/16/10

This LC/MS/MS method is a developmental method that was created specifically for the Gulf oil spill by the Region 6 lab in conjunction with other EPA laboratories. Therefore it has not been validated with the normal rigorous procedures and performance data that an EPA method would normally complete before being released. Improvements will continue to be made to this method as more is learned about the nuances of this technique with these analytes and various matrices. Proper sample collection or preservation procedures have not been established and holding times are unknown.



Environmental Protection Agency
Region 6 Laboratory

10625 Fallstone Road, Houston, TX 77099
Phone:(281)983-2100 Fax:(281)983-2248

DOSS by LC/MS/MS

Lab ID: 1008027-06

Station ID: T008-0022-100815-SW-1

Batch: B0H1604

Date Collected: 08/15/10

Sample Type: Liquid

Sample Volume: 23 ml

Sample Qualifiers:

Surrogates

Analyte	Result µg/l	Analyte Qualifiers	%Recovery	%Recovery Limits	Prepared	Analyzed
<i>Surr: DOSS-D34</i>	202		111	50-150	08/16/10	08/16/10

Targets

Analyte (CAS Number)	Result µg/l	Analyte Qualifiers	Reporting Limit	Dilution	Prepared	Analyzed
Diethyl sulfosuccinate, sodium salt (577-11-7)	U		20.0	1	08/16/10	08/16/10

This LC/MS/MS method is a developmental method that was created specifically for the Gulf oil spill by the Region 6 lab in conjunction with other EPA laboratories. Therefore it has not been validated with the normal rigorous procedures and performance data that an EPA method would normally complete before being released. Improvements will continue to be made to this method as more is learned about the nuances of this technique with these analytes and various matrices. Proper sample collection or preservation procedures have not been established and holding times are unknown.



Environmental Protection Agency
Region 6 Laboratory

10625 Fallstone Road, Houston, TX 77099
Phone:(281)983-2100 Fax:(281)983-2248

DOSS by LC/MS/MS

Lab ID: 1008027-07

Station ID: T005-0036-100813-SW-1

Batch: B0H1604

Date Collected: 08/13/10

Sample Type: Liquid

Sample Volume: 24 ml

Sample Qualifiers:

Surrogates

Analyte	Result µg/l	Analyte Qualifiers	%Recovery	%Recovery Limits	Prepared	Analyzed
<i>Surr: DOSS-D34</i>	206		118	50-150	08/16/10	08/16/10

Targets

Analyte (CAS Number)	Result µg/l	Analyte Qualifiers	Reporting Limit	Dilution	Prepared	Analyzed
Diethyl sulfosuccinate, sodium salt (577-11-7)	U		20.0	1	08/16/10	08/16/10

This LC/MS/MS method is a developmental method that was created specifically for the Gulf oil spill by the Region 6 lab in conjunction with other EPA laboratories. Therefore it has not been validated with the normal rigorous procedures and performance data that an EPA method would normally complete before being released. Improvements will continue to be made to this method as more is learned about the nuances of this technique with these analytes and various matrices. Proper sample collection or preservation procedures have not been established and holding times are unknown.



Environmental Protection Agency
Region 6 Laboratory

10625 Fallstone Road, Houston, TX 77099
Phone:(281)983-2100 Fax:(281)983-2248

DOSS by LC/MS/MS

Lab ID: 1008027-08

Station ID: T005-0037-100813-SW-1

Batch: B0H1604

Date Collected: 08/13/10

Sample Type: Liquid

Sample Volume: 23 ml

Sample Qualifiers:

Surrogates

Analyte	Result µg/l	Analyte Qualifiers	%Recovery	%Recovery Limits	Prepared	Analyzed
<i>Surr: DOSS-D34</i>	210		115	50-150	08/16/10	08/16/10

Targets

Analyte (CAS Number)	Result µg/l	Analyte Qualifiers	Reporting Limit	Dilution	Prepared	Analyzed
Diethyl sulfosuccinate, sodium salt (577-11-7)	U		20.0	1	08/16/10	08/16/10

This LC/MS/MS method is a developmental method that was created specifically for the Gulf oil spill by the Region 6 lab in conjunction with other EPA laboratories. Therefore it has not been validated with the normal rigorous procedures and performance data that an EPA method would normally complete before being released. Improvements will continue to be made to this method as more is learned about the nuances of this technique with these analytes and various matrices. Proper sample collection or preservation procedures have not been established and holding times are unknown.



Environmental Protection Agency
Region 6 Laboratory

10625 Fallstone Road, Houston, TX 77099
Phone:(281)983-2100 Fax:(281)983-2248

DOSS by LC/MS/MS

Lab ID: 1008027-09

Station ID: T005-0039-100813-SW-1

Batch: B0H1604

Date Collected: 08/13/10

Sample Type: Liquid

Sample Volume: 19 ml

Sample Qualifiers:

Surrogates

Analyte	Result µg/l	Analyte Qualifiers	%Recovery	%Recovery Limits	Prepared	Analyzed
<i>Surr: DOSS-D34</i>	245		111	50-150	08/16/10	08/16/10

Targets

Analyte (CAS Number)	Result µg/l	Analyte Qualifiers	Reporting Limit	Dilution	Prepared	Analyzed
Diethyl sulfosuccinate, sodium salt (577-11-7)	U		20.0	1	08/16/10	08/16/10

This LC/MS/MS method is a developmental method that was created specifically for the Gulf oil spill by the Region 6 lab in conjunction with other EPA laboratories. Therefore it has not been validated with the normal rigorous procedures and performance data that an EPA method would normally complete before being released. Improvements will continue to be made to this method as more is learned about the nuances of this technique with these analytes and various matrices. Proper sample collection or preservation procedures have not been established and holding times are unknown.



Environmental Protection Agency
Region 6 Laboratory

10625 Fallstone Road, Houston, TX 77099
Phone:(281)983-2100 Fax:(281)983-2248

DOSS by LC/MS/MS

Lab ID: 1008027-10

Station ID: T005-0040-100813-SW-1

Batch: B0H1604

Date Collected: 08/13/10

Sample Type: Liquid

Sample Volume: 23 ml

Sample Qualifiers:

Surrogates

Analyte	Result µg/l	Analyte Qualifiers	%Recovery	%Recovery Limits	Prepared	Analyzed
<i>Surr: DOSS-D34</i>	209		114	50-150	08/16/10	08/16/10

Targets

Analyte (CAS Number)	Result µg/l	Analyte Qualifiers	Reporting Limit	Dilution	Prepared	Analyzed
Diethyl sulfosuccinate, sodium salt (577-11-7)	U		20.0	1	08/16/10	08/16/10

This LC/MS/MS method is a developmental method that was created specifically for the Gulf oil spill by the Region 6 lab in conjunction with other EPA laboratories. Therefore it has not been validated with the normal rigorous procedures and performance data that an EPA method would normally complete before being released. Improvements will continue to be made to this method as more is learned about the nuances of this technique with these analytes and various matrices. Proper sample collection or preservation procedures have not been established and holding times are unknown.



Environmental Protection Agency
Region 6 Laboratory

10625 Fallstone Road, Houston, TX 77099
Phone:(281)983-2100 Fax:(281)983-2248

DOSS by LC/MS/MS

Lab ID: 1008027-11

Station ID: T005-0034-100814-SW-1

Batch: B0H1604

Date Collected: 08/14/10

Sample Type: Liquid

Sample Volume: 22 ml

Sample Qualifiers:

Surrogates

Analyte	Result µg/l	Analyte Qualifiers	%Recovery	%Recovery Limits	Prepared	Analyzed
<i>Surr: DOSS-D34</i>	211		110	50-150	08/16/10	08/16/10

Targets

Analyte (CAS Number)	Result µg/l	Analyte Qualifiers	Reporting Limit	Dilution	Prepared	Analyzed
Diethyl sulfosuccinate, sodium salt (577-11-7)	U		19.5	1	08/16/10	08/16/10

This LC/MS/MS method is a developmental method that was created specifically for the Gulf oil spill by the Region 6 lab in conjunction with other EPA laboratories. Therefore it has not been validated with the normal rigorous procedures and performance data that an EPA method would normally complete before being released. Improvements will continue to be made to this method as more is learned about the nuances of this technique with these analytes and various matrices. Proper sample collection or preservation procedures have not been established and holding times are unknown.



Environmental Protection Agency
Region 6 Laboratory

10625 Fallstone Road, Houston, TX 77099
Phone:(281)983-2100 Fax:(281)983-2248

DOSS by LC/MS/MS

Lab ID: 1008027-12

Station ID: T005-0035-100814-SW-1

Batch: B0H1604

Date Collected: 08/14/10

Sample Type: Liquid

Sample Volume: 21 ml

Sample Qualifiers:

Surrogates

Analyte	Result µg/l	Analyte Qualifiers	%Recovery	%Recovery Limits	Prepared	Analyzed
<i>Surr: DOSS-D34</i>	223		112	50-150	08/16/10	08/16/10

Targets

Analyte (CAS Number)	Result µg/l	Analyte Qualifiers	Reporting Limit	Dilution	Prepared	Analyzed
Diethyl sulfosuccinate, sodium salt (577-11-7)	U		20.0	1	08/16/10	08/16/10

This LC/MS/MS method is a developmental method that was created specifically for the Gulf oil spill by the Region 6 lab in conjunction with other EPA laboratories. Therefore it has not been validated with the normal rigorous procedures and performance data that an EPA method would normally complete before being released. Improvements will continue to be made to this method as more is learned about the nuances of this technique with these analytes and various matrices. Proper sample collection or preservation procedures have not been established and holding times are unknown.



Environmental Protection Agency
Region 6 Laboratory

10625 Fallstone Road, Houston, TX 77099
Phone:(281)983-2100 Fax:(281)983-2248

DOSS by LC/MS/MS

Lab ID: 1008027-13

Station ID: T005-0031-100815-SW-1

Batch: B0H1604

Date Collected: 08/15/10

Sample Type: Liquid

Sample Volume: 23 ml

Sample Qualifiers:

Surrogates

Analyte	Result µg/l	Analyte Qualifiers	%Recovery	%Recovery Limits	Prepared	Analyzed
<i>Surr: DOSS-D34</i>	211		115	50-150	08/16/10	08/16/10

Targets

Analyte (CAS Number)	Result µg/l	Analyte Qualifiers	Reporting Limit	Dilution	Prepared	Analyzed
Diethyl sulfosuccinate, sodium salt (577-11-7)	U		20.0	1	08/16/10	08/16/10

This LC/MS/MS method is a developmental method that was created specifically for the Gulf oil spill by the Region 6 lab in conjunction with other EPA laboratories. Therefore it has not been validated with the normal rigorous procedures and performance data that an EPA method would normally complete before being released. Improvements will continue to be made to this method as more is learned about the nuances of this technique with these analytes and various matrices. Proper sample collection or preservation procedures have not been established and holding times are unknown.



Environmental Protection Agency
Region 6 Laboratory

10625 Fallstone Road, Houston, TX 77099
Phone:(281)983-2100 Fax:(281)983-2248

DOSS by LC/MS/MS

Lab ID: 1008027-14

Station ID: T005-0032-100815-SW-1

Batch: B0H1604

Date Collected: 08/15/10

Sample Type: Liquid

Sample Volume: 22 ml

Sample Qualifiers:

Surrogates

Analyte	Result µg/l	Analyte Qualifiers	%Recovery	%Recovery Limits	Prepared	Analyzed
<i>Surr: DOSS-D34</i>	219		115	50-150	08/16/10	08/16/10

Targets

Analyte (CAS Number)	Result µg/l	Analyte Qualifiers	Reporting Limit	Dilution	Prepared	Analyzed
Diethyl sulfosuccinate, sodium salt (577-11-7)	U		20.0	1	08/16/10	08/16/10

This LC/MS/MS method is a developmental method that was created specifically for the Gulf oil spill by the Region 6 lab in conjunction with other EPA laboratories. Therefore it has not been validated with the normal rigorous procedures and performance data that an EPA method would normally complete before being released. Improvements will continue to be made to this method as more is learned about the nuances of this technique with these analytes and various matrices. Proper sample collection or preservation procedures have not been established and holding times are unknown.



Environmental Protection Agency
Region 6 Laboratory

10625 Fallstone Road, Houston, TX 77099
Phone:(281)983-2100 Fax:(281)983-2248

DOSS by LC/MS/MS

Lab ID: 1008027-15

Station ID: T005-0032-100815-SW-2

Batch: B0H1604

Date Collected: 08/15/10

Sample Type: Liquid

Sample Volume: 23 ml

Sample Qualifiers:

Surrogates

Analyte	Result µg/l	Analyte Qualifiers	%Recovery	%Recovery Limits	Prepared	Analyzed
<i>Surr: DOSS-D34</i>	197		108	50-150	08/16/10	08/16/10

Targets

Analyte (CAS Number)	Result µg/l	Analyte Qualifiers	Reporting Limit	Dilution	Prepared	Analyzed
Diethyl sulfosuccinate, sodium salt (577-11-7)	U		20.0	1	08/16/10	08/16/10

This LC/MS/MS method is a developmental method that was created specifically for the Gulf oil spill by the Region 6 lab in conjunction with other EPA laboratories. Therefore it has not been validated with the normal rigorous procedures and performance data that an EPA method would normally complete before being released. Improvements will continue to be made to this method as more is learned about the nuances of this technique with these analytes and various matrices. Proper sample collection or preservation procedures have not been established and holding times are unknown.



Environmental Protection Agency
Region 6 Laboratory

10625 Fallstone Road, Houston, TX 77099
Phone:(281)983-2100 Fax:(281)983-2248

DOSS by LC/MS/MS

Lab ID: 1008027-16

Station ID: T005-0033-100815-SW-1

Batch: B0H1604

Date Collected: 08/15/10

Sample Type: Liquid

Sample Volume: 23 ml

Sample Qualifiers:

Surrogates

Analyte	Result µg/l	Analyte Qualifiers	%Recovery	%Recovery Limits	Prepared	Analyzed
<i>Surr: DOSS-D34</i>	195		107	50-150	08/16/10	08/16/10

Targets

Analyte (CAS Number)	Result µg/l	Analyte Qualifiers	Reporting Limit	Dilution	Prepared	Analyzed
Diethyl sulfosuccinate, sodium salt (577-11-7)	U		19.6	1	08/16/10	08/16/10

This LC/MS/MS method is a developmental method that was created specifically for the Gulf oil spill by the Region 6 lab in conjunction with other EPA laboratories. Therefore it has not been validated with the normal rigorous procedures and performance data that an EPA method would normally complete before being released. Improvements will continue to be made to this method as more is learned about the nuances of this technique with these analytes and various matrices. Proper sample collection or preservation procedures have not been established and holding times are unknown.



Environmental Protection Agency
Region 6 Laboratory

10625 Fallstone Road, Houston, TX 77099
Phone:(281)983-2100 Fax:(281)983-2248

DOSS by LC/MS/MS

Lab ID: 1008027-17

Station ID: T001-1337-100813-SW-00-1

Batch: B0H1604

Date Collected: 08/13/10

Sample Type: Liquid

Sample Volume: 24 ml

Sample Qualifiers:

Surrogates

Analyte	Result µg/l	Analyte Qualifiers	%Recovery	%Recovery Limits	Prepared	Analyzed
<i>Surr: DOSS-D34</i>	199		114	50-150	08/16/10	08/16/10

Targets

Analyte (CAS Number)	Result µg/l	Analyte Qualifiers	Reporting Limit	Dilution	Prepared	Analyzed
Diethyl sulfosuccinate, sodium salt (577-11-7)	U		17.9	1	08/16/10	08/16/10

This LC/MS/MS method is a developmental method that was created specifically for the Gulf oil spill by the Region 6 lab in conjunction with other EPA laboratories. Therefore it has not been validated with the normal rigorous procedures and performance data that an EPA method would normally complete before being released. Improvements will continue to be made to this method as more is learned about the nuances of this technique with these analytes and various matrices. Proper sample collection or preservation procedures have not been established and holding times are unknown.



Environmental Protection Agency
Region 6 Laboratory

10625 Fallstone Road, Houston, TX 77099
Phone:(281)983-2100 Fax:(281)983-2248

DOSS by LC/MS/MS

Lab ID: 1008027-18

Station ID: T001-1344-100815-SW-05-1

Batch: B0H1604

Date Collected: 08/15/10

Sample Type: Liquid

Sample Volume: 21 ml

Sample Qualifiers:

Surrogates

Analyte	Result µg/l	Analyte Qualifiers	%Recovery	%Recovery Limits	Prepared	Analyzed
<i>Surr: DOSS-D34</i>	218		109	50-150	08/16/10	08/16/10

Targets

Analyte (CAS Number)	Result µg/l	Analyte Qualifiers	Reporting Limit	Dilution	Prepared	Analyzed
Diethyl sulfosuccinate, sodium salt (577-11-7)	U		20.0	1	08/16/10	08/16/10

This LC/MS/MS method is a developmental method that was created specifically for the Gulf oil spill by the Region 6 lab in conjunction with other EPA laboratories. Therefore it has not been validated with the normal rigorous procedures and performance data that an EPA method would normally complete before being released. Improvements will continue to be made to this method as more is learned about the nuances of this technique with these analytes and various matrices. Proper sample collection or preservation procedures have not been established and holding times are unknown.



Environmental Protection Agency
Region 6 Laboratory

10625 Fallstone Road, Houston, TX 77099
Phone:(281)983-2100 Fax:(281)983-2248

DOSS by LC/MS/MS

Lab ID: 1008027-19

Station ID: T001-1353-100815-SW-00-1

Batch: B0H1604

Date Collected: 08/15/10

Sample Type: Liquid

Sample Volume: 20 ml

Sample Qualifiers:

Surrogates

Analyte	Result µg/l	Analyte Qualifiers	%Recovery	%Recovery Limits	Prepared	Analyzed
<i>Surr: DOSS-D34</i>	244		116	50-150	08/16/10	08/16/10

Targets

Analyte (CAS Number)	Result µg/l	Analyte Qualifiers	Reporting Limit	Dilution	Prepared	Analyzed
Diethyl sulfosuccinate, sodium salt (577-11-7)	U		20.0	1	08/16/10	08/16/10

This LC/MS/MS method is a developmental method that was created specifically for the Gulf oil spill by the Region 6 lab in conjunction with other EPA laboratories. Therefore it has not been validated with the normal rigorous procedures and performance data that an EPA method would normally complete before being released. Improvements will continue to be made to this method as more is learned about the nuances of this technique with these analytes and various matrices. Proper sample collection or preservation procedures have not been established and holding times are unknown.



Environmental Protection Agency
Region 6 Laboratory

10625 Fallstone Road, Houston, TX 77099
Phone:(281)983-2100 Fax:(281)983-2248

DOSS by LC/MS/MS

Lab ID: 1008027-20

Station ID: T001-2346-100814-SW-00-1

Batch: B0H1604

Date Collected: 08/14/10

Sample Type: Liquid

Sample Volume: 20 ml

Sample Qualifiers:

Surrogates

Analyte	Result µg/l	Analyte Qualifiers	%Recovery	%Recovery Limits	Prepared	Analyzed
<i>Surr: DOSS-D34</i>	242		115	50-150	08/16/10	08/16/10

Targets

Analyte (CAS Number)	Result µg/l	Analyte Qualifiers	Reporting Limit	Dilution	Prepared	Analyzed
Diethyl sulfosuccinate, sodium salt (577-11-7)	U		19.5	1	08/16/10	08/16/10

This LC/MS/MS method is a developmental method that was created specifically for the Gulf oil spill by the Region 6 lab in conjunction with other EPA laboratories. Therefore it has not been validated with the normal rigorous procedures and performance data that an EPA method would normally complete before being released. Improvements will continue to be made to this method as more is learned about the nuances of this technique with these analytes and various matrices. Proper sample collection or preservation procedures have not been established and holding times are unknown.



Environmental Protection Agency
Region 6 Laboratory

10625 Fallstone Road, Houston, TX 77099
Phone:(281)983-2100 Fax:(281)983-2248

DOSS by LC/MS/MS

Lab ID: 1008027-21

Station ID: T001-2346-100814-SW-00-2

Batch: B0H1604

Date Collected: 08/14/10

Sample Type: Liquid

Sample Volume: 21 ml

Sample Qualifiers:

Surrogates

Analyte	Result µg/l	Analyte Qualifiers	%Recovery	%Recovery Limits	Prepared	Analyzed
<i>Surr: DOSS-D34</i>	210		105	50-150	08/16/10	08/16/10

Targets

Analyte (CAS Number)	Result µg/l	Analyte Qualifiers	Reporting Limit	Dilution	Prepared	Analyzed
Diethyl sulfosuccinate, sodium salt (577-11-7)	U		20.0	1	08/16/10	08/16/10

This LC/MS/MS method is a developmental method that was created specifically for the Gulf oil spill by the Region 6 lab in conjunction with other EPA laboratories. Therefore it has not been validated with the normal rigorous procedures and performance data that an EPA method would normally complete before being released. Improvements will continue to be made to this method as more is learned about the nuances of this technique with these analytes and various matrices. Proper sample collection or preservation procedures have not been established and holding times are unknown.



Environmental Protection Agency
Region 6 Laboratory

10625 Fallstone Road, Houston, TX 77099
Phone:(281)983-2100 Fax:(281)983-2248

DOSS by LC/MS/MS

Lab ID: 1008027-22

Station ID: T001-2350-100813-SW-00-1

Batch: B0H1604

Date Collected: 08/13/10

Sample Type: Liquid

Sample Volume: 19 ml

Sample Qualifiers:

Surrogates

Analyte	Result µg/l	Analyte Qualifiers	%Recovery	%Recovery Limits	Prepared	Analyzed
<i>Surr: DOSS-D34</i>	249		113	50-150	08/16/10	08/16/10

Targets

Analyte (CAS Number)	Result µg/l	Analyte Qualifiers	Reporting Limit	Dilution	Prepared	Analyzed
Diethyl sulfosuccinate, sodium salt (577-11-7)	U		20.0	1	08/16/10	08/16/10

This LC/MS/MS method is a developmental method that was created specifically for the Gulf oil spill by the Region 6 lab in conjunction with other EPA laboratories. Therefore it has not been validated with the normal rigorous procedures and performance data that an EPA method would normally complete before being released. Improvements will continue to be made to this method as more is learned about the nuances of this technique with these analytes and various matrices. Proper sample collection or preservation procedures have not been established and holding times are unknown.



Environmental Protection Agency
Region 6 Laboratory

10625 Fallstone Road, Houston, TX 77099
Phone:(281)983-2100 Fax:(281)983-2248

DOSS by LC/MS/MS

Lab ID: 1008027-23

Station ID: T001-2350-100813-SW-00-2

Batch: B0H1604

Date Collected: 08/13/10

Sample Type: Liquid

Sample Volume: 20 ml

Sample Qualifiers:

Surrogates

Analyte	Result µg/l	Analyte Qualifiers	%Recovery	%Recovery Limits	Prepared	Analyzed
<i>Surr: DOSS-D34</i>	190		90.4	50-150	08/16/10	08/16/10

Targets

Analyte (CAS Number)	Result µg/l	Analyte Qualifiers	Reporting Limit	Dilution	Prepared	Analyzed
Diethyl sulfosuccinate, sodium salt (577-11-7)	U		20.0	1	08/16/10	08/16/10

This LC/MS/MS method is a developmental method that was created specifically for the Gulf oil spill by the Region 6 lab in conjunction with other EPA laboratories. Therefore it has not been validated with the normal rigorous procedures and performance data that an EPA method would normally complete before being released. Improvements will continue to be made to this method as more is learned about the nuances of this technique with these analytes and various matrices. Proper sample collection or preservation procedures have not been established and holding times are unknown.



Environmental Protection Agency
Region 6 Laboratory

10625 Fallstone Road, Houston, TX 77099
Phone:(281)983-2100 Fax:(281)983-2248

DOSS by LC/MS/MS

Lab ID: 1008027-24

Station ID: T001-2354-100813-SW-00-1

Batch: B0H1604

Date Collected: 08/13/10

Sample Type: Liquid

Sample Volume: 20 ml

Sample Qualifiers:

Surrogates

Analyte	Result µg/l	Analyte Qualifiers	%Recovery	%Recovery Limits	Prepared	Analyzed
<i>Surr: DOSS-D34</i>	201		95.9	50-150	08/16/10	08/16/10

Targets

Analyte (CAS Number)	Result µg/l	Analyte Qualifiers	Reporting Limit	Dilution	Prepared	Analyzed
Diethyl sulfosuccinate, sodium salt (577-11-7)	U		20.0	1	08/16/10	08/16/10

This LC/MS/MS method is a developmental method that was created specifically for the Gulf oil spill by the Region 6 lab in conjunction with other EPA laboratories. Therefore it has not been validated with the normal rigorous procedures and performance data that an EPA method would normally complete before being released. Improvements will continue to be made to this method as more is learned about the nuances of this technique with these analytes and various matrices. Proper sample collection or preservation procedures have not been established and holding times are unknown.



Environmental Protection Agency
Region 6 Laboratory

10625 Fallstone Road, Houston, TX 77099
Phone:(281)983-2100 Fax:(281)983-2248

DOSS by LC/MS/MS

Lab ID: 1008027-25

Station ID: T001-2354-100813-SW-00-2

Batch: B0H1604

Date Collected: 08/13/10

Sample Type: Liquid

Sample Volume: 20 ml

Sample Qualifiers:

Surrogates

Analyte	Result µg/l	Analyte Qualifiers	%Recovery	%Recovery Limits	Prepared	Analyzed
<i>Surr: DOSS-D34</i>	203		96.5	50-150	08/16/10	08/16/10

Targets

Analyte (CAS Number)	Result µg/l	Analyte Qualifiers	Reporting Limit	Dilution	Prepared	Analyzed
Diethyl sulfosuccinate, sodium salt (577-11-7)	U		20.0	1	08/16/10	08/16/10

This LC/MS/MS method is a developmental method that was created specifically for the Gulf oil spill by the Region 6 lab in conjunction with other EPA laboratories. Therefore it has not been validated with the normal rigorous procedures and performance data that an EPA method would normally complete before being released. Improvements will continue to be made to this method as more is learned about the nuances of this technique with these analytes and various matrices. Proper sample collection or preservation procedures have not been established and holding times are unknown.



Environmental Protection Agency
Region 6 Laboratory

10625 Fallstone Road, Houston, TX 77099
Phone:(281)983-2100 Fax:(281)983-2248

DOSS by LC/MS/MS

Lab ID: 1008027-26

Station ID: T001-2358-100815-SW-00-1

Batch: B0H1604

Date Collected: 08/15/10

Sample Type: Liquid

Sample Volume: 19 ml

Sample Qualifiers:

Surrogates

Analyte	Result µg/l	Analyte Qualifiers	%Recovery	%Recovery Limits	Prepared	Analyzed
<i>Surr: DOSS-D34</i>	215		97.4	50-150	08/16/10	08/16/10

Targets

Analyte (CAS Number)	Result µg/l	Analyte Qualifiers	Reporting Limit	Dilution	Prepared	Analyzed
Diethyl sulfosuccinate, sodium salt (577-11-7)	U		20.0	1	08/16/10	08/16/10

This LC/MS/MS method is a developmental method that was created specifically for the Gulf oil spill by the Region 6 lab in conjunction with other EPA laboratories. Therefore it has not been validated with the normal rigorous procedures and performance data that an EPA method would normally complete before being released. Improvements will continue to be made to this method as more is learned about the nuances of this technique with these analytes and various matrices. Proper sample collection or preservation procedures have not been established and holding times are unknown.



Environmental Protection Agency
Region 6 Laboratory

10625 Fallstone Road, Houston, TX 77099
Phone:(281)983-2100 Fax:(281)983-2248

DOSS by LC/MS/MS

Lab ID: 1008027-27

Station ID: T001-2359-100814-SW-00-1

Batch: B0H1604

Date Collected: 08/14/10

Sample Type: Liquid

Sample Volume: 20 ml

Sample Qualifiers:

Surrogates

Analyte	Result µg/l	Analyte Qualifiers	%Recovery	%Recovery Limits	Prepared	Analyzed
<i>Surr: DOSS-D34</i>	210		99.8	50-150	08/16/10	08/16/10

Targets

Analyte (CAS Number)	Result µg/l	Analyte Qualifiers	Reporting Limit	Dilution	Prepared	Analyzed
Diethyl sulfosuccinate, sodium salt (577-11-7)	U		20.0	1	08/16/10	08/16/10

This LC/MS/MS method is a developmental method that was created specifically for the Gulf oil spill by the Region 6 lab in conjunction with other EPA laboratories. Therefore it has not been validated with the normal rigorous procedures and performance data that an EPA method would normally complete before being released. Improvements will continue to be made to this method as more is learned about the nuances of this technique with these analytes and various matrices. Proper sample collection or preservation procedures have not been established and holding times are unknown.



Environmental Protection Agency
Region 6 Laboratory

10625 Fallstone Road, Houston, TX 77099
Phone:(281)983-2100 Fax:(281)983-2248

DOSS by LC/MS/MS

Lab ID: 1008027-28

Station ID: T001-2365-100815-SW-00-1

Batch: B0H1604

Date Collected: 08/15/10

Sample Type: Liquid

Sample Volume: 20 ml

Sample Qualifiers:

Surrogates

Analyte	Result µg/l	Analyte Qualifiers	%Recovery	%Recovery Limits	Prepared	Analyzed
<i>Surr: DOSS-D34</i>	215		102	50-150	08/16/10	08/16/10

Targets

Analyte (CAS Number)	Result µg/l	Analyte Qualifiers	Reporting Limit	Dilution	Prepared	Analyzed
Diethyl sulfosuccinate, sodium salt (577-11-7)	U		20.0	1	08/16/10	08/16/10

This LC/MS/MS method is a developmental method that was created specifically for the Gulf oil spill by the Region 6 lab in conjunction with other EPA laboratories. Therefore it has not been validated with the normal rigorous procedures and performance data that an EPA method would normally complete before being released. Improvements will continue to be made to this method as more is learned about the nuances of this technique with these analytes and various matrices. Proper sample collection or preservation procedures have not been established and holding times are unknown.



Environmental Protection Agency
Region 6 Laboratory

10625 Fallstone Road, Houston, TX 77099
Phone:(281)983-2100 Fax:(281)983-2248

DOSS by LC/MS/MS

Lab ID: 1008027-29

Station ID: T001-2471-100815-SW-00-1

Batch: B0H1604

Date Collected: 08/15/10

Sample Type: Liquid

Sample Volume: 18 ml

Sample Qualifiers:

Surrogates

Analyte	Result µg/l	Analyte Qualifiers	%Recovery	%Recovery Limits	Prepared	Analyzed
<i>Surr: DOSS-D34</i>	236		101	50-150	08/16/10	08/16/10

Targets

Analyte (CAS Number)	Result µg/l	Analyte Qualifiers	Reporting Limit	Dilution	Prepared	Analyzed
Diethyl sulfosuccinate, sodium salt (577-11-7)	U		20.0	1	08/16/10	08/16/10

This LC/MS/MS method is a developmental method that was created specifically for the Gulf oil spill by the Region 6 lab in conjunction with other EPA laboratories. Therefore it has not been validated with the normal rigorous procedures and performance data that an EPA method would normally complete before being released. Improvements will continue to be made to this method as more is learned about the nuances of this technique with these analytes and various matrices. Proper sample collection or preservation procedures have not been established and holding times are unknown.



Environmental Protection Agency
Region 6 Laboratory

10625 Fallstone Road, Houston, TX 77099
Phone:(281)983-2100 Fax:(281)983-2248

DOSS by LC/MS/MS - Quality Control

Batch: B0H1604

Sample Type: Liquid

Blank (B0H1604-BLK1)

Prepared: 8/16/2010 Analyzed: 8/16/2010

Surrogates

ANALYTE	Result µg/l	Analyte Qualifier	Spike Level	%REC Limits
<i>Surr: DOSS-D34</i>	224		210	107 50-150

Blank (B0H1604-BLK1)

Prepared: 8/16/2010 Analyzed: 8/16/2010

Targets

ANALYTE	Result µg/l	Analyte Reporting Qualifiers Limit
Diocetyl sulfosuccinate, sodium salt	U	20.0

Blank (B0H1604-BLK2)

Prepared: 8/16/2010 Analyzed: 8/16/2010

Surrogates

ANALYTE	Result µg/l	Analyte Qualifier	Spike Level	%REC Limits
<i>Surr: DOSS-D34</i>	227		210	108 50-150

Blank (B0H1604-BLK2)

Prepared: 8/16/2010 Analyzed: 8/16/2010

Targets

ANALYTE	Result µg/l	Analyte Reporting Qualifiers Limit
Diocetyl sulfosuccinate, sodium salt	U	20.0



Environmental Protection Agency
Region 6 Laboratory

10625 Fallstone Road, Houston, TX 77099
Phone:(281)983-2100 Fax:(281)983-2248

DOSS by LC/MS/MS - Quality Control

Batch: B0H1604

Sample Type: Liquid

LCS (B0H1604-BS1)

Prepared: 8/16/2010 Analyzed: 8/16/2010

Surrogates

ANALYTE	Result µg/l	Analyte Qualifier	Spike Level	%REC Limits
<i>Surr: DOSS-D34</i>	219		210	104 50-150

LCS (B0H1604-BS1)

Prepared: 8/16/2010 Analyzed: 8/16/2010

Targets

ANALYTE	Result µg/l	Analyte Qualifiers	Reporting Limit	Spike Level	%REC Limits
Diocetyl sulfosuccinate, sodium salt	109		20.0	98.4	110 50-150

LCS (B0H1604-BS2)

Prepared: 8/16/2010 Analyzed: 8/16/2010

Surrogates

ANALYTE	Result µg/l	Analyte Qualifier	Spike Level	%REC Limits
<i>Surr: DOSS-D34</i>	226		210	108 50-150

LCS (B0H1604-BS2)

Prepared: 8/16/2010 Analyzed: 8/16/2010

Targets

ANALYTE	Result µg/l	Analyte Qualifiers	Reporting Limit	Spike Level	%REC Limits
Diocetyl sulfosuccinate, sodium salt	113		20.0	98.4	115 50-150



Environmental Protection Agency
Region 6 Laboratory

10625 Fallstone Road, Houston, TX 77099
Phone:(281)983-2100 Fax:(281)983-2248

DOSS by LC/MS/MS - Quality Control

Batch: B0H1604

Sample Type: Liquid

Matrix Spike (B0H1604-MS1)

Source: 1008027-05

Prepared: 8/16/2010 Analyzed: 8/16/2010

Surrogates

ANALYTE	Result µg/l	Analyte Qualifier	Spike Level	%REC %REC	%REC Limits
<i>Surr: DOSS-D34</i>	202		183	110	50-150

Matrix Spike (B0H1604-MS1)

Source: 1008027-05

Prepared: 8/16/2010 Analyzed: 8/16/2010

Targets

ANALYTE	Result µg/l	Analyte Qualifiers	Reporting Limit	Spike Level	Source Result	%REC %REC	%REC Limits
Diocetyl sulfosuccinate, sodium salt	95.9		20.0	85.6		110	50-150

Matrix Spike (B0H1604-MS2)

Source: 1008027-12

Prepared: 8/16/2010 Analyzed: 8/16/2010

Surrogates

ANALYTE	Result µg/l	Analyte Qualifier	Spike Level	%REC %REC	%REC Limits
<i>Surr: DOSS-D34</i>	237		210	113	50-150

Matrix Spike (B0H1604-MS2)

Source: 1008027-12

Prepared: 8/16/2010 Analyzed: 8/16/2010

Targets

ANALYTE	Result µg/l	Analyte Qualifiers	Reporting Limit	Spike Level	Source Result	%REC %REC	%REC Limits
Diocetyl sulfosuccinate, sodium salt	110		20.0	98.4		111	50-150



Environmental Protection Agency
Region 6 Laboratory

10625 Fallstone Road, Houston, TX 77099
Phone:(281)983-2100 Fax:(281)983-2248

DOSS by LC/MS/MS - Quality Control

Batch: B0H1604

Sample Type: Liquid

Matrix Spike (B0H1604-MS3)

Source: 1008027-22

Prepared: 8/16/2010 Analyzed: 8/16/2010

Surrogates

ANALYTE	Result µg/l	Analyte Qualifier	Spike Level	%REC Limits
<i>Surr: DOSS-D34</i>	194		221	87.7 50-150

Matrix Spike (B0H1604-MS3)

Source: 1008027-22

Prepared: 8/16/2010 Analyzed: 8/16/2010

Targets

ANALYTE	Result µg/l	Analyte Qualifiers	Reporting Limit	Spike Level	Source Result	%REC Limits
Diocetyl sulfosuccinate, sodium salt	120		20.0	104	111	50-150

Matrix Spike Dup (B0H1604-MSD1)

Source: 1008027-05

Prepared: 8/16/2010 Analyzed: 8/16/2010

Surrogates

ANALYTE	Result µg/l	Analyte Qualifier	Spike Level	%REC Limits
<i>Surr: DOSS-D34</i>	208		191	109 50-150

Matrix Spike Dup (B0H1604-MSD1)

Source: 1008027-05

Prepared: 8/16/2010 Analyzed: 8/16/2010

Targets

ANALYTE	Result µg/l	Analyte Qualifiers	Reporting Limit	Spike Level	Source Result	%REC Limits	RPD RPD Limit
Diocetyl sulfosuccinate, sodium salt	104		20.0	89.5	115	50-150	8.35 30



Environmental Protection Agency
Region 6 Laboratory

10625 Fallstone Road, Houston, TX 77099
Phone:(281)983-2100 Fax:(281)983-2248

DOSS by LC/MS/MS - Quality Control

Batch: B0H1604

Sample Type: Liquid

Matrix Spike Dup (B0H1604-MSD2)

Source: 1008027-12

Prepared: 8/16/2010 Analyzed: 8/16/2010

Surrogates

ANALYTE	Result µg/l	Analyte Qualifier	Spike Level	%REC Limits
<i>Surr: DOSS-D34</i>	220		191	115 50-150

Matrix Spike Dup (B0H1604-MSD2)

Source: 1008027-12

Prepared: 8/16/2010 Analyzed: 8/16/2010

Targets

ANALYTE	Result µg/l	Analyte Qualifiers	Reporting Limit	Spike Level	Source Result	%REC Limits	RPD RPD Limit
Diocetyl sulfosuccinate, sodium salt	101		20.0	89.5		112 50-150	8.41 30

Matrix Spike Dup (B0H1604-MSD3)

Source: 1008027-22

Prepared: 8/16/2010 Analyzed: 8/16/2010

Surrogates

ANALYTE	Result µg/l	Analyte Qualifier	Spike Level	%REC Limits
<i>Surr: DOSS-D34</i>	192		210	91.2 50-150

Matrix Spike Dup (B0H1604-MSD3)

Source: 1008027-22

Prepared: 8/16/2010 Analyzed: 8/16/2010

Targets

ANALYTE	Result µg/l	Analyte Qualifiers	Reporting Limit	Spike Level	Source Result	%REC Limits	RPD RPD Limit
Diocetyl sulfosuccinate, sodium salt	114		20.0	98.4		111 50-150	4.76 30



Environmental Protection Agency Region 6 Laboratory

10625 Fallstone Road, Houston, TX 77099
Phone: (281) 983-2100 Fax: (281) 983-2248

Page 1 of 1

CHAIN OF CUSTODY RECORD

R06_DeepWater_Chalmelle
Contact Name: Kristie Warr
Contact Phone: 713-995-6636

No: T0033-100402-20100813-05

Airbill No:
Lab: U.S. EPA Region 6 Laboratory
Lab Phone: 281-983-2137

Lab #	Sample #	Analyses	Matrix	Collection Method	Collected	Sample Time	Numb Cont	Container	Preservative	MS/MS D
	T005-0036-100813-SW-1	DOSS	Surface Water	Grab	8/13/2010	08:55	6	20 ml VOA	4 C	Y
	T005-0037-100813-SW-1	DOSS	Surface Water	Grab	8/13/2010	09:55	2	20 ml VOA	4 C	N
	T005-0039-100813-SW-1	DOSS	Surface Water	Grab	8/13/2010	10:40	2	20 ml VOA	4 C	N
	T005-0040-100813-SW-1	DOSS	Surface Water	Grab	8/13/2010	11:20	2	20 ml VOA	4 C	N

Special Instructions:

SAMPLES TRANSFERRED FROM CHAIN OF CUSTODY

Items/Reason	Relinquished by	Date	Received by	Date	Time	Items/Reason	Relinquished By	Date	Received by	Date	Time
	OB and	8/13	Willie H.	8-15-10	17:45		Willie H.	8-15-10	9:00	8/16/10	02:45
		8/13					Willie H.	8-16-10	9:20	8/16/10	9:20
		8/14/10									
		8/16/10									

Sample Temp: 2°C



Environmental Protection Agency Region 6 Laboratory

10625 Fallstone Road, Houston, TX 77099
Phone: (281) 983-2100 Fax: (281) 983-2248

Page 1 of 1

CHAIN OF CUSTODY RECORD

No: T0033-100402-20100814-02

Acid/No:

Lab: U.S. EPA Region 6 Laboratory
Lab Phone: 281-983-2137

R06_DeepWater_Chalmette
Contact Name: Kristie Warr
Contact Phone: 713-985-6636

Lab #	Sample #	Analyses	Matrix	Collection Method	Collected	Sample Time	Numb Cont	Container	Preservative	MS/MS D
	T005-0034-100814-SW-1	DOSS	Surface Water	Grab	8/14/2010	09:40	2	20 ml VOA	4 C	N
	T005-0035-100814-SW-1	DOSS	Surface Water	Grab	8/14/2010	08:30	6	20 ml VOA	4 C	Y

Special Instructions:

SAMPLES TRANSFERRED FROM CHAIN OF CUSTODY

Items/Reason	Relinquished by	Date	Received by	Date	Time	Relinquished By	Date	Received by	Date	Time
	ADP	8/15/10	Willie H.	8-15-10	17:45	Willie H.	8-15-10	9:00	8/16/10	2:45
	ADP	8/16/10	Willie H.	8/16/10	05:00	Willie H.	8-16-10	9:00	8/16/10	9:20
	ADP	8/16/10	Willie H.	8/16/10	09:00	Willie H.	8-16-10	9:00	8/16/10	9:20

Sample Temp: 2°C



Environmental Protection Agency Region 6 Laboratory

10625 Fallstone Road, Houston, TX 77099
Phone: (281) 983-2100 Fax: (281) 983-2248

Page 1 of 1

CHAIN OF CUSTODY RECORD
R06_DeepWater_Chalmette
Contact Name: Kristie Warr
Contact Phone: 713-985-6636
No: T0033-100402-20100815-02
Airbill No:
Lab: U.S. EPA Region 6 Laboratory
Lab Phone: 281-983-2137

Lab #	Sample #	Analyses	Matrix	Collection Method	Collected	Sample Time	Numb Cont	Container	Preservative	MS/MS D
	T005-0031-100815-SW-1	DOSS	Surface Water	Grab	8/15/2010	11:10	6	20 ml VOA	4 C	Y
	T005-0032-100815-SW-1	DOSS	Surface Water	Grab	8/15/2010	10:05	2	20 ml VOA	4 C	N
	T005-0032-100815-SW-2	DOSS	Surface Water	Grab	8/15/2010	10:05	2	20 ml VOA	4 C	N
	T005-0033-100815-SW-1	DOSS	Surface Water	Grab	8/15/2010	09:10	2	20 ml VOA	4 C	N

Special Instructions:

SAMPLES TRANSFERRED FROM
CHAIN OF CUSTODY #

Items/Reason	Relinquished by	Date	Received by	Date	Time	Items/Reason	Relinquished By	Date	Received by	Date	Time
AGF	8/15/10	Willie H.	8-15-10	8/15/10	17:45	Willie H.	8-15-10	8/15/10	8/15/10	8/15/10	17:45
AGF	8/16/10	Willie H.	8/16/10	8/16/10	05:20	Willie H.	8-16-10	8/16/10	8/16/10	8/16/10	05:20
AGF	8/16/10	Willie H.	8/16/10	8/16/10	09:00	Willie H.	8-16-10	8/16/10	8/16/10	8/16/10	09:00

Sample Temp: 2°C



Environmental Protection Agency
Region 6 Laboratory

10625 Fallstone Road, Houston, TX 77099
Phone:(281)983-2100 Fax:(281)983-2248

Notes and Definitions

A	This sample was extracted at a single acid pH.
HTS	Sample was prepared and/or analyzed past recommended holding time. Concentrations should be considered minimum values.
AES	Atomic Emission Spectrometer
CVAA	Cold Vapor Atomic Absorption
ECD	Electron Capture Detector
GC	Gas Chromatograph
GFAA	Graphite Furnace Atomic Absorption
ICP	Inductively Coupled Plasma
MS	Mass Spectrometer
NA	Not Applicable
NPD	Nitrogen Phosphorous Detector
NR	Not Reported
TCLP	Toxicity Characteristic Leaching Procedure
U	Undetected
#	Out of QC limits

Initial pressure in air analyses is the pressure at which the canister was received in psia (pounds *per* square inch absolute pressure).

The pH reported for Volatile liquid samples was tested using a 0-14 pH indicator strip for the purpose of verifying chemical preservation.

The statistical software used for the reporting of toxicity data is ToxCalc 5.0.32, Environmental Toxicity Data Analysis System 1994-2007 Tidepool Scientific Software.